EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((transmission or send or recieve) same (nested near1 list))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/07/27 12:48
L2	518	((transmission or send or recieve) same (sub near3 array))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/07/27 12:48
L3	0	((transmission or send or recieve) same (sub near3 array)) near3 (nested near2 list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/07/27 12:48
L4	0	((transmission or send or recieve) same (sub near3 array)) same (nested near2 list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/07/27 12:48
L5	0	((transmission or send or receive) same (sub near3 array)) same (nested near2 list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/07/27 12:48
L6	0	((transmission or send or recieve or transmit) same (sub near3 array)) same (nested near2 list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/07/27 12:49
L7	0	(convert same (sub near3 array)) same (nested near2 list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/07/27 12:49
L8	0	(convert same array same (nested near2 list))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/07/27 12:49

Web   Images   Groups   News   Froogle   Maps   **more »**

Google™

converting a "nested list" to an array	Search	Advanced Search
		Preferences

Web

Results **1 - 10** of about **724** for <u>converting</u> a "<u>nested list</u>" to <u>an array</u>. (0.43 seconds)

FAQTs - Knowledge Base - View Entry - **Converting** a html table to a ...
Converting a html table to a tree. Aug 24th, 2000 19:05 ... each element in the list is
another, **nested, list**, where each element corresponds to the data in ...
www.faqts.com/knowledge_base/view.phtml/aid/5515 - 16k - Cached - Similar pages

Chart of proposed list functionality
... to post process the flat list by **converting** in into a **nested list** using a stride value. Two
candidates for this new option are **'array get'** and 'split'. ...
wiki.tcl.tk/67 - 12k - Cached - Similar pages

10.4 Character **array** methods
eval executes the Python eval function on each element of a character **array** and returns
the resulting numarray. eval is intended for use **converting** ...
keres.colorado.edu/numarray/node41.html - 15k - Cached - Similar pages

Handling Lists, Arrays and Other Expressions
This declares a to be a **nested list** of lists of lists of integers. ... exchange arbitrary-precision
numbers with external programs by **converting** them to ...
documents.wolfram.com/.../PrinciplesOfMathematica/
MathLinkAndExternalProgramCommunication/2.13.4.html - 42k - Cached - Similar pages

'Fwd: Our changes to KHTML and KJS' - MARC
Added support for the WinIE quirk that prevents **nested list** bullets from ... Make
converting integers to strings faster by doing it without calling sprintf. ...
lists.kde.org/?l=kfm-devel&m=104196912316326&w=2 - Similar pages

[PDF] Customizing the X Front End, Handling Large Lists, and Generating ...
File Format: PDF/Adobe Acrobat - View as HTML
matica is a linked list, both internally and operationally. The. final **nested list** can be
flattened to obtain a result in the form. of an **array**. In[4]:= ...
www.mathematica-journal.com/issue/v4i2/columns/techsupport/54-61_gayley42.mj.pdf -
Similar pages

Use BB Code in Your PHP Application [PHP & MySQL Tutorials]
[li]ordered item 1, **nested list**: [li]nested item 1[/li] [list=l] [li]nested item 2[/li] [/list][/li] ... **array**
('block' => **array**('htmlopen' => 'blockquote', ...
www.sitepoint.com/article/bb-code-php-application/2 - 44k - Cached - Similar pages

XML .NET
You can serialize your object to a byte **array** and can deSerialize the byte **array** into ... in to
nested XML and then use XSLT to transform it to **nested list**. ...
www.c-sharpcorner.com/Article/frmDisplayArticles.aspx?SectionID=1&SubSectionID=79 -
149k - Cached - Similar pages

pyparsing » HowToUsePyparsing
parseWithTabs() - function to override default behavior of **converting** tabs to ... and returns
the **array** of expressions in the parse results - the leading ...
pyparsing.wikispaces.com/HowToUsePyparsing - 49k - Cached - Similar pages

Revision history for txt2html
... enable **converting** passed-in strings rather than just files. 0.02 Wed 15th May 2002 ...

Cleaned up **nested list** handling & fixed a bug under Perl 5. ...
txt2html.sourceforge.net/Changes.html - 26k - Cached - Similar pages

Google Groups results for **converting a "nested list" to an array**

converting an html table to a tree - comp.lang.python - Aug 25, 2000
Python Knowledge Base Update -- August 25th ... - comp.lang.python - Aug 25, 2000
to those of you with exp in tile based games or ... - macromedia.director.lingo - Mar 7, 2003

Try your search again on Google Book Search

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Free! Speed up the web. Download the Google Web Accelerator.

| converting a "nested list" to an array | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google